

PRODUCT CATALOG

5

**HIGH POWER LED
HIGH-BAY LIGHTING**



7

**HIGH POWER LED
FLOOD LIGHTING**



11

**HIGH POWER LED
TUNNEL LIGHTING**



13

**HIGH POWER LED
SPOT LIGHTING**



15

**HIGH POWER LED
STREET LIGHTING**



19

**HIGH POWER LED
INDOOR LIGHTING**



23

PROJECT



25

CERTIFICATE

HIGH POWER LED HIGH-BAY LIGHTING

Widely used from smaller workshops to huge factory halls, from fine precision work to heavy industrial light work



Features

- ✔ 60-70% energy saving compared to traditional light and save money
- ✔ Life span >50,000.00 hours
- ✔ Good color rendering RA>80. multi-color choice : 2700-7000K
- ✔ Easy installation & free maintenance
- ✔ Environmentally friendly

APPLICATION

Workshops, Factories, Storehouses, Toll Stations, Petrol Stations, Supermarkets, Exhibition Halls, Gymnasium And Others

LED HIGH-BAY LIGHT

MODEL NO.: RT460HB 30W-100W



Technical Data

30-100W Power(W)	AC85-265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP54 IP Rating(IP)	35° Beam angle(°)	5kg Weight (kg)

MODEL NO.: RT520HB 30W-100W



Technical Data

30-100W Power(W)	AC85-265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP54 IP Rating(IP)	60° Beam angle(°)	5kg Weight (kg)

HIGH POWER LED FLOOD LIGHTING

High Power Led Flood Lights with higher industrial standard, suitable to light athletic facilities, churches, courtyards, display window, advertisement billboard, parking lot application



Features

- ✓ 60-70% energy saving compared to traditional light and save money
- ✓ Life span > 50,000.00 hours
- ✓ Good color rendering RA > 80. multi-color choice : 2700-7000K
- ✓ Easy installation & free maintenance
- ✓ Environmentally friendly

APPLICATION

Factories, Gyms Docks, Billboards, Buildings, Lawns, Garden Designs and Others

LED FLOOD LIGHT

MODEL NO.: RT390FL 30W-70W



Technical Data


30-70W Power(W)	AC85-265V DC12/24V Voltage (V)		
110LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	75° Beam angle(°)	7.4kg Weight (kg)

MODEL NO. : RT590FL-S 80W-140W



Technical Data

80-140W Power(W)	AC85-265V DC12/24V Voltage (V)		
110LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	75° Beam angle(°)	10.6kg Weight (kg)



LED FLOOD LIGHT

MODEL NO.: NEW RT390FL 30W-80W

Technical Data



30-80W Power(W)	AC85-265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP67 IP Rating(IP)	12.5/25/75° Beam angle(°)	7.4kg Weight (kg)

LED FLOOD LIGHT

MODEL NO.: RT108/220/290FS 5W-50W

Technical Data



5-50W Power(W)	AC85-265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	60° Beam angle(°)	0.7/2.3/3.3kg Weight (kg)

MODEL NO.: RT660FL-S 120W-200W

Technical Data



120-200W Power(W)	AC85-265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP67 IP Rating(IP)	25/75° Beam angle(°)	11.6kg Weight (kg)

MODEL NO.: RT180/300/370/420FS 5W-100W

Technical Data



5-100W Power(W)	AC85-265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	60° Beam angle(°)	1.2/3.1/ 5.0/7.7kg Weight (kg)

HIGH POWER LED TUNNEL LIGHTING

High Power Led Tunnel Light are concern on traffic safe condition for the driver to create optimal visibility while assuring visual comfort, free maintenance are contributing to cost saving



Features

- ✔ 60-70% energy saving compared to traditional light and save money
- ✔ Life span >50,000.00 hours
- ✔ Good color rendering RA>80. multi-color choice : 2700-7000K
- ✔ Easy installation & free maintenance
- ✔ Environmentally friendly

APPLICATION

Tunnels, Underpasses, Railways, Underground Parking Lots and Others

LED TUNNEL LIGHT

MODEL NO.: RT390TL 30W-70W



Technical Data


30-70W Power(W)	AC85-265V DC 12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	75° Beam angle(°)	7.4kg Weight (kg)

MODEL NO.: RT590TL-S 80W-140W



Technical Data

80-140W Power(W)	AC85-265V DC 12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	75° Beam angle(°)	10.6kg Weight (kg)



HIGH POWER LED SPOT LIGHTING

High Power Led Spot Lights with higher industrial quality standard, suitable to light athletic facilities, churches, courtyards, buildings, advertisement billboard application



Features


- ✔ 60-70% energy saving compared to traditional light and save money
- ✔ Life span >50,000.00 hours
- ✔ Good color rendering RA>80. multi-color choice : 2700-7000K
- ✔ Easy installation & free maintenance
- ✔ Environmentally friendly

APPLICATION

Factories, Gyms, Docks, Billboards, Buildings, Lawns, Garden Designs and Others

LED SPOT LIGHT

MODEL NO.: RT390ST 30W-70W



Technical Data

30~70W Power(W)	AC85~265V DC12/24V Voltage (V)		
110LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500~7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	12.5° Beam angle(°)	7.4kg Weight (kg)

MODEL NO.: RT590ST-S 80W-140W



Technical Data

80~140W Power(W)	AC85~265V DC12/24V Voltage (V)		
110LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500~7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	12.5° Beam angle(°)	10.6kg Weight (kg)



HIGH POWER LED STREET LIGHTING

High Power Led Street Light series are concerns about safety to the driver, energy efficient, productivity pleasure on city & village and where need lighting



Features

- ✔ 60-70% energy saving compared to traditional light and save money
- ✔ Life span > 50,000.00 hours
- ✔ Good color rendering RA > 80. multi-color choice : 2700-7000K
- ✔ Easy installation & free maintenance
- ✔ Environmentally friendly

APPLICATION

City streets, Pavements, Squares, Schools, Parks, Yards, Residential areas, Factories and Others

LED STREET LIGHT

MODEL NO.: RT530SL 10W-20W



Technical Data


10-20W Power(W)	AC85-265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	70° Beam angle(°)	4kg Weight (kg)

MODEL NO.: RT570SL 10W-60W



Technical Data

10-60W Power(W)	AC85-265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	70° Beam angle(°)	6.5kg Weight (kg)



LED STREET LIGHT

MODEL NO.: RT710SL 10W-40W



Technical Data

10~40W Power(W)	AC85~265V DC12/24V Voltage (V)		
110LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500~7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	70° Beam angle(°)	6.5kg Weight (kg)

LED STREET LIGHT

MODEL NO.: RT760SL-S40W-120W



Technical Data

40~120W Power(W)	AC85~265V DC12/24V Voltage (V)		
110LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500~7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	70° Beam angle(°)	12.5kg Weight (kg)

MODEL NO.: RT680SL-S 40W-100W



Technical Data

40~100W Power(W)	AC85~265V DC12/24V Voltage (V)		
110LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500~7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	70° Beam angle(°)	9kg Weight (kg)

MODEL NO.: RT960SL-S 120W-200W



Technical Data

120~200W Power(W)	AC85~265V DC12/24V Voltage (V)		
110LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500~7000K Color temperature(K)	
>90% Power Efficiency(%)	IP65 IP Rating(IP)	70° Beam angle(°)	14.5kg Weight (kg)



HIGH POWER LED INDOOR LIGHTING

LED Indoor Lighting are related to people's life in every aspect concern on design, compactness, optics, power, efficiency, dimmable control, easy installation



Features

- ✔ 60-70% energy saving compared to traditional light and save money
- ✔ Life span > 50,000.00 hours
- ✔ Good color rendering RA > 80. multi-color choice : 2700-7000K
- ✔ Easy installation & free maintenance
- ✔ Environmentally friendly

APPLICATION

Offices, Show centers, Stores, Markets, Banks, Hospitals, Restaurants, Hotels and Others

LED INDOOR LIGHT

MODEL NO.: RT190DL 10W-20W



Technical Data


10~20W Power(W)	AC85~265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500~7000K Color temperature(K)	
>90% Power Efficiency(%)	IP20 IP Rating(IP)	65° Beam angle[°]	1.5kg Weight (kg)

MODEL NO.: RT208DL 10W-40W



Technical Data

10~40W Power(W)	AC85~265V DC12/24V Voltage (V)		
110lm/W Lumen (lm/W)	>80 Color Rendering index (Ra)	2500~7000K Color temperature(K)	
>90% Power Efficiency(%)	IP20 IP Rating(IP)	65° Beam angle[°]	2.5kg Weight (kg)



LED INDOOR LIGHT

MODEL NO.: RT60 30W-50W



Technical Data

30-50W Power(W)	AC85-265V DC12/24V Voltage (V)		
90LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP20 IP Rating(IP)	120° Beam angle(°)	4.2kg Weight (kg)

LED INDOOR LIGHT

MODEL NO.: RT60/120T8 8W-18W



Technical Data

8-18W Power(W)	AC85-265V DC12/24V Voltage (V)		
90LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP20 IP Rating(IP)	120° Beam angle(°)	0.15/0.3kg Weight (kg)

MODEL NO.: RT120 30W-40W



Technical Data

30-40W Power(W)	AC85-265V DC12/24V Voltage (V)		
90LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP20 IP Rating(IP)	120° Beam angle(°)	6.3kg Weight (kg)

MODEL NO.: RTE27 3W-7W



3-7W Power(W)			
110LM/W Lumen (LM/W)	>80 Color Rendering index (Ra)	2500-7000K Color temperature(K)	
>90% Power Efficiency(%)	IP20 IP Rating(IP)	50° Beam angle(°)	0.15kg Weight (kg)



LED PROJECT

STREET LIGHTING

- LED Street Light : 30W
- Location : Russia
- Quantity : 400 sets



LED PROJECT

STREET LIGHTING

- LED Street Light : 70W
- Location : Chile
- Quantity : 420 PCS



LED PROJECT

TUNNEL LIGHTING

- LED Tunnel Light : 70W and 140W
- Location : China - Burma
- Quantity : 2100 PCS



LED PROJECT

HIGH BAY LIGHTING

- LED High Bay Light : 100W
- Location : China
- Quantity : 725 PCS



Certificate

TUV Mark (20-70w)



TUV Mark (20-70w)



CE- LED High Bay Light



CE- LED Flood Light



TUV Mark 100w




TUV Mark 100w



CE- LED Street Light



CE- LED Solar Street Light System



MORE CERTIFICATE, CONTACT US !